

ABRASIVE SOLUTIONS

COATED ABRASIVES



Our products find application in the following areas:

- Construction industry
- Furniture manufacturing industry
- Automobile industry
- Architectural industry
- Interior designing industry

Najin Export Private Limited

Established in the year **2005**, we **Najin Export Pvt. Ltd.** is a leading organization affianced in the area of **manufacturing**, **wholesale** and **trading** a brand Dino abrasives. In their development process, we assure that only top notch basic material is used by our professionals along with ultra-modern tools and machinery. Besides this, we check these on a variety of grounds before finally shipping them at the destination of our customers. Together with this, our offered facility of customization in order to attain high level of customer satisfaction has earned us huge number of satisfied customers.

In order to attain high level of customer satisfaction, we have developed for ourselves a huge and well facilitated infrastructural set up which is equipped with all the latest tools, technology and machinery. our facility is divided into a number of departments. Working in close coordination with each other, all these are headed by their respective managers in order to maintain a friendly and organized environment at work.

It is our pleasure to introduce our self as a leading manufacturer of abrasives in India. We are in this field of abrasives since last 18 years. Within a very short span of time We have a strong team of engineers coming from varied technical background of chemical, mechanical, and textiles which has made us

- The only company that manufactures and market stearate coated non loading paper and cloth products.
- Company to make C- wt yellow paper rolls and its Velcro disc.
- The only manufacturer to convert jumbo rolls on all forms of backing, cloth, paper and fiber in India..
- Have indigenously developed C- wt yellow paper, latex papers for wet and dry applications and stearate coated non loading papers.
- Manufactures widest range of grits from 24 to 2000
- Offer many products for OEM branding.
- Makes widest range of paper products from C-wt to E-wt backing
- Makes widest range of cloth products from J-wt, X- wt to Y-wt backing

Industries Catered To

We also cater to special and specific needs of our customers and provide them customized solutions through our well-equipped manufacturing facility. We can provide special size products in very short lead time due to our good stock levels. Our products are 30 to 70 % cheaper than the European products you may be selling, thus you will have a high profit margin in our products.

Moreover, even if you are selling Chinese product, our products match those prices and the quality will be still higher. Thus Kindly go through our catalogue attached herein and explore a never before seen range of abrasives. Dealing directly with a manufacturer will surely provide you a competitive edge above your competitors.

We are successful to serve the diverse requirements of our various **permanent clients** with our quality abrasive products that are offered by us at **market leading prices**. Various new clients from diverse sectors of the community are getting involved with us to avail our quality products. Owing to the quality of products and timely deliveries of consignments, we are successful to muster and secure a huge clientele from across the nation.

Our Team

We are supported by a diligent team of highly qualified and experienced professionals. This has helped us to maintain flawlessness in our production process. Our professionals hold an expertise in their respective domain, which has helped us at each and every stage of production process. Owing to the sincerity and dedication of our team members, we are successful to serve the diverse requirements of our clients in an efficient manner.

Our team of professionals includes:

- Administrative staff
- Procurement managers
- Engineers and technocrats
- Quality controllers
- •Research and development experts
- Packaging experts
- Accountants
- •Warehousing personnel

Following are some of the factors:

- Strong focus on quality compliance
- Easy mode of payment
- Timely delivery
- Innovative designs



			0.4	0 6 3		
	DINO ABRASIVES	KAJ65	AA 400 ₩ 1		83	DINO ABRASIVES
	DINO ABRASIVES	KAJ65	AA 400	-		DINO ABRASIVES
S	DINO ABRASIVES	KAJ65	AA 400	-	(E)	DINO ABRASIVES
	DINO ABRASIVES	KAJ65	AA 400		(2)	DINO ABRASIVES
	DINO ABRASIVES	KAJ65	AA 400 ⊕ ⊈ 1	0 6 1	A	DINO ABRASIVES
52	DINO ABRASIVES	KAJ65	AA 400		52	DINO ABRASIVES
	DINO ABRASIVES	KAJ65	AA 400		(65)	DINO ABRASIVES
8	DINO ABRASIVES	KAJ65	AA 400	-	3	DINO ABRASIVES
AA 400	9 6 6 9 0	C2	DINO ABRASIVES	KAJ65	AA 400	9 2 2 9
AA 400		(3)	DINO ABRASIVES	KAJ65	AA 400	
AA 400		52	DINO ABRASIVES	KAJ65	AA 400	
AA 400		(iii)	DINO ABRASIVES	KAJ65	AA 400	
AA 400	9 6 6 9 0	S)	DINO ABRASIVES	KAJ65	AA 400	9 12 18 9
AA 400		C	DINO ABRASIVES	KAJ65	AA 400	
AA 400		(3)	DINO ABRASIVES	KAJ65	AA 400	
AA 400		(Z)	DINO ABRASIVES	KAJ65	AA 400	
63	DINO ABRASIVES	KAJ65	AA 400 @ LE 1	0 6 1	C)	DINO ABRASIVES
	DINO ABRASIVES	KAJ65	AA 400		B	DINO ABRASIVES
12	DINO ABRASIVES	KAJ65	AA 400	-		DINO ABRASIVES
	DINO ABRASIVES	KAJ65	AA 400		(503)	DINO ABRASIVES
	DINO ABRASIVES	KAJ65	AA 400 😡 🎉 I	0 0	(X)	DINO ABRASIVES
	DINO ABRASIVES	KAJ65	AA 400		0	DINO ABRASIVES
(%)	DINO ABRASIVES	KAJ65	AA 400	→	(8)	DINO ABRASIVES
8	DINO ABRASIVES	KAJ65	AA 400 —	-	3	DINO ABRASIVES
AA 400	9 6 2 9 0	~	DINO ABRASIVES	KAJ65	AA 400	9 12 18 9
AA 400		(3)	DINO ABRASIVES	KAJ65	AA 400	
AA 400		52	DINO ABRASIVES	KAJ65	AA 400	
AA 400		(5)	DINO ABRASIVES	KAJ65	AA 400	
AA 400	9 6 6 9 0	(3)	DINO ABRASIVES	KAJ65	AA 400	9 6 6 9 9

KAJ65		
Product Parameters		
Grain Type	Aluminium Oxide	
Backing	Jwt poly cotton	
Color	Brown	
Sand planting density	Dense sand	
Flexibility	Soft	
Glue	Resin Over Resin	
Jumbo roll width	1.40 M	

















Material Usage















Product Form













Applications

Soft Wood / Resinous Wood / Veneer / Plastic / Lacquer



	DINO ABRASIVES	KAC33	AA 400	E # 0 0	0	DINO ABRASIVES
	DINO ABRASIVES		AA 400		(3)	DINO ABRASIVES
<i>₩</i>	DINO ABRASIVES		AA 400		12	DINO ABRASIVES
	DINO ABRASIVES	KAC33	AA 400		_	DINO ABRASIVES
	DINO ABRASIVES	KAC33	AA 400	E F 9 0	S	DINO ABRASIVES
	DINO ABRASIVES	KAC33	AA 400		(2)	DINO ABRASIVES
	DINO ABRASIVES	KAC33	AA 400		6	DINO ABRASIVES
3	DINO ABRASIVES	KAC33	AA 400		3	DINO ABRASIVES
AA 400	£ # 0 0	(2)	DINO ABRASIV	ES KAC33	AA 400	€ # 3
AA 400		(2)	DINO ABRASIV	ES KAC33	AA 400	\longrightarrow
AA 400		83	DINO ABRASIV	ES KAC33	AA 400	
AA 400		~	DINO ABRASIV	ES KAC33	AA 400	
AA 400	€ € ⊖ ○	B	DINO ABRASIV	ES KAC33	AA 400	€ € ⊕
AA 400		12	DINO ABRASIV	ES KAC33	AA 400	
AA 400		(3)	DINO ABRASIV	ES KAC33	AA 400	
AA 400		3	DINO ABRASIV	ES KAC33	AA 400	
12	DINO ABRASIVES	KAC33	AA 400	E E ⊖ ♡	52	DINO ABRASIVES
	DINO ABRASIVES	KAC33	AA 400	\longrightarrow		DINO ABRASIVES
	DINO ABRASIVES	KAC33	AA 400		(3)	DINO ABRASIVES
	DINO ABRASIVES	KAC33	AA 400			DINO ABRASIVES
(2)	DINO ABRASIVES	KAC33	AA 400	E F 8 0	(3)	DINO ABRASIVE
8	DINO ABRASIVES	KAC33	AA 400		12	DINO ABRASIVES
	DINO ABRASIVES	KAC33	AA 400	\longrightarrow	~	DINO ABRASIVES
3	DINO ABRASIVES	KAC33	AA 400	\longrightarrow	S	DINO ABRASIVES
AA 400	E # 0 0	523	DINO ABRASIV	ES KAC33	AA 400	€ € 9
AA 400		(6)	DINO ABRASIV	ES KAC33	AA 400	
AA 400		(B)	DINO ABRASIV	ES KAC33	AA 400	
AA 400			DINO ABRASIV	ES KAC33	AA 400	
AA 400	E # 8 0	(3)	DINO ABRASIV	ES KAC33	AA 400	€ 10 €

KAC33		
Product Parameters		
Grain Type	Aluminium Oxide	
Backing	Cwt Paper	
Color	Yellow	
Flexibility	Soft	
Glue	Resin Over Resin	
Jumbo roll width	1.40 M	



Material Usage



General Metal Auto body







Furniture

Paint auto

Product Form











Applications

Paint / Automotive Body / General Metal / Soft Wood





KAF22		
Product Parameters		
Grain Type	Aluminium Oxide	
Backing	Film	
Color	Blue	
Sand planting density	Open Coat	
Flexibility	Soft	
Glue	Resin Over Resin	
Jumbo roll width	1.40 M	



Material Usage











General Metal Auto body

Furniture

Product Form













Applications

Paint / Automotive Body / General Metal / Soft Wood





FZX67		
Product Parameters		
Grain Type	Zircon corundum	
Backing	Poly cotton	
Color	Blue	
Sand planting density	Close Coat	
Flexibility	Hard Cloth	
Glue	Resin Over Resin	
Jumbo roll width	1.40 M	



















Material Usage















Product Form



(°°°)










Applications

Low Carbon Steel / Stainless Steel / Hard Wood / Cast iron Titanium / Alloy





FAX16		
Product Parameters		
Grain Type	Aluminium Oxide	
Backing	X-wt Poly cotton	
Color	Dark Brown	
Sand planting density	Close Coat	
Flexibility	Hard Cloth	
Glue	Resin Over Resin	
Jumbo roll width	1.40 M	



























Product Form














Applications





WCY26		
Product Parameters		
Grain Type	Silicon Carbide	
Backing	Y-wt polyster	
Color	Black	
Coating	Close Coated	
Treatment	Antistatic	
Bonding	Resin Over Resin	
Jumbo roll width	1.40 M	

















Material Usage













Product Form











Applications

Woodworking /MDF/HDF/OSD/Partial board/Chip board/Glass/Metal





WCX12		
Product Parameters		
Grain Type	Silicon Carbide	
Backing	XY-wt polyster	
Color	Black	
Coating	Close Coated	
Treatment	Antistatic	
Bonding	Resin Over Resin	
Jumbo roll width	1.40 M	

















Material Usage













Product Form










Applications

Woodworking /MDF/HDF/OSD/Partial board/Chip board/Glass/Metal





WAX16		
Product Parameters		
Grain Type	Aluminum Oxide	
Backing	XY-wt Polyster Black	
Color	Red	
Coating	Close Coated	
Bonding	Resin Over Resin	
Jumbo roll width	1.40 M	

















Material Usage









Product Form














Applications





HAX56		
Product Parameters		
Grain Type	Aluminum Oxide	
Backing	X-wt Polyster Black	
Color	Brown	
Coating	Close Coated	
Bonding	Resin Over Resin	
Jumbo roll width	1.40 M	

















Material Usage









Product Form













Applications





Code	KAC33 Velcro Disc
Туре	C-wt Paper backing Disc
Bond	Resin Over Resin
Grain	Aluminium Oxide
Grit	P60 - P800
Size	5" & 6" or Customer's Size



Code	KAC33 PSA
Туре	C-wt Paper backing Disc
Bond	Resin Over Resin
Grain	Aluminium Oxide
Grit	P60 - P800
Size	5" & 6" or Customer's Size



Code	KAF22 Velcro Disc
Type	Film Backing Disc
Bond	Resin Over Resin
Grain	Aluminium Oxide
Grit	P60 - P2000
Size	5" & 6" or Customer's Size



Code	FAX16 Velcro Disc
Type	X-wt Paper backing Disc
Bond	Resin Over Resin
Grain	Aluminium Oxide
Grit	P36 - P800
Size	4", 5", 6", 7" or Customer's Size


Applications

Paint / Automotive Body / General Metal / Soft Wood





WZB32		
Brand	DINO ABRASIVES	
Туре	Heavy Fibre Backing 0.8mm	
Bond	Resin Over Resin	
Grain	Zirconia Grain	
Grit	P24 - P120	
Size	4", 4.5", 5", 6", 7" or Customer's Size	



WAB22	
Brand	DINO ABRASIVES
Туре	Heavy Fibre Backing 0.8mm
Bond	Resin Over Resin
Grain	Aluminium Oxide
Grit	P24 - P120
Size	4", 4.5", 5", 6", 7" or Customer's Size

Material Usage









Applications

Iron / Cast Iron / Mild Steel / Welding Roads / Aluminium Non-Ferrous Metal / Wood / Carbon Steel



FZX67 ZIRCON MATERIAL







Brand	DINO ABRASIVES
Grain	Zircon
Grit	P36 - P120
Size	10X330mm, 20X520mm, 50X2000mm, 50X3500mm, 100X50m or Customer's Size

Applications

Low Carbon Steel / Stainless Steel / Hard Wood / Cast iron Titanium / Alloy

FAX16 ALCON MATERIAL






Brand	DINO ABRASIVES
Grain	Aluminium Oxide
Grit	P36 - P800
Size	50X2000mm, 50X3500mm, 100X50m & 300x50m or Customer's Size

Applications



KAJ65 J-wt Material





Brand	DINO ABRASIVES
Grain	J-wt Cloth
Grit	P60 - P600
Size	50X2000mm, 50X3500mm, 100X50m or Customer's Size

Code

Applications

Soft Wood / Resinous Wood / Veneer / Plastic / Lacquer

DCC23





Туре	Silicon Carbide
Backing	C-wt Paper
Color	Black
Grit	P60 - P2000
Coating	Close Coated

Code	DAC24
Туре	Aluminum Oxide
Backing	A-wt Paper
Color	White
Grit	P60 - P2000
Coating	Close Coated

Material Usage











General Metal Auto body

Vood

Paint aut

Applications

Paint / Automotive Body / General Metal / Soft Wood / Furniture



Premium Alcon Flap Disc





Grain Type	Premium Aluminum Oxide
Backing	Fiberglass Backing Pad or Metal
Size	4" & 5" or Customer's size
Application:	Woodworking/Veneer/Plastic/Metal Stainless Steel / Carbon Steel

Premium Zircon Flap Disc



Grain Type	Premium Zirconia
Backing	Fiberglass Backing Pad or Metal
Size	4" & 5" or Customer's size
Application:	Woodworking/Titanium/Heavy Metal Stainless Steel / Carbon Steel / High Alloy

Premium Flap Wheel



Shaft Flap Wheel



Applications

Woodworking/Titanium/Heavy Metal Stainless Steel / Carbon Steel / High Alloy



Why Choose Us

We have earned a reputable position in the industry for providing high quality range of products at reasonable prices to our esteemed clients. The key factors for which we have received appreciation from our clients all across the globe include:

- •International quality standard range
- •Well-equipped manufacturing facility
- •Expert team of engineers, industrial designers and other supporting staff
- Customized packaging
- Competitive prices
- •Since our incorporation in this industry, we have been steady in providing superior quality array of products in accordance with the requirements of our clients.







Reach Us **NAJIN EXPORT PVT. LTD.**

Plot No. 328, Sector 8, IMT Manesar, Gurugram-122050, Haryana, India Landline No. 0124-4362240, 0124-4362241 Email: enquiry@dinoabrasives.com Website: www.dinoabrasives.com